


PAGUFIX 3000 – The ideal swaged coupling for the beverage and foodstuffs industries



Marking: PAGUFIX 3000
DN 50x8 - 1.4301

Applications:

In order to meet the very severe hygiene and safety requirements in the brewing, beverage and foodstuffs industries, ContiTech Schlauch GmbH offers the PAGUFIX 3000 swaged coupling, which sets new standards in quality and swaging technology.

Manufactured from stainless steel 1.4301 and available in all common nominal sizes of hose, PAGUFIX 3000 is the ideal connection for all beer, beverage and foodstuffs hoses from ContiTech Schlauch GmbH – whether they contain a steel-wire helix or not.


Of course, this high-quality coupling is also available in other material qualities and special designs, ensuring that it can be adapted to best meet individual specifications.

With this coupling system, the hose assembly can no longer become a HACCP problem.

Description:

- ▶ Suitable for a great variety of applications in the brewing, beverage and foodstuffs industries
- ▶ Smooth and hygienically clean connection, without any transition, between lining and fitting
- ▶ Absolute seal of the hose end (no wick effect)
- ▶ Resistance to pull-off forces up to 50 bar
- ▶ No damage to lining from swaging process
- ▶ Rubber protection rings available in blue

Special types of couplings as illustrated. Other thread types available on request (e.g. SMS 1145, IDF ISO 2853, RJT BS 4825, DS 722, Aseptic DIN 11864 part 1, clamp, open welding end)



Technical data: PAGUFIX 3000 is available for the following hose sizes

Nominal width mm	13	19	25	32	32	38	38	40	40	50	50	65	65	75	75	80	80	100	100
Wall thickness mm	4	5	6	6	8	6,5	9	7	9	8	10	8	12	8	12	8	14	9	15

Market segment industrial hoses

ContiTech Schlauch GmbH
Continentalstrasse 3-5
D-34497 Korbach (Germany)
industrial.hoses@fluid.contitech.de
www.contitech.de/ih



The content of this publication is provided for information only and without responsibility. ContiTech AG's obligations and responsibilities regarding its products are governed solely by the agreements under which they are sold. Unless otherwise agreed in writing, the information contained herein does not become part of these agreements. This publication does not contain any guarantee or agreed quality of ContiTech AG's products or any warranty of merchantability, fitness for a particular purpose and non-infringement. ContiTech AG may make changes in the products or services described at any time without notice. This publication is provided on an "as is" basis. To the extent permitted by law, ContiTech AG makes no warranty, express or implied, and assumes no liability in connection with the use of the information contained in this publication. ContiTech AG is not liable for any direct, indirect, incidental, consequential or punitive damages arising out of the use of this publication. Information contained herein is not intended to announce product availability anywhere in the world. © 2007 ContiTech AG. All rights reserved.